Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. to 5. (canceled)
- 6. (currently amended) A microwaveable <u>vacuum skin</u> package comprising:
 - a) a support member having an upper surface and a lower surface;
 - b) a bottom web having an upper surface and a lower surface, the lower surface of the bottom web being adhered to the upper surface of the support member;
 - c) a food product disposed on the upper surface of the bottom web; and
 - d) a top web disposed on the food product;

wherein the top web is draped over the food product such that the top web substantially conforms to the shape of the food product; and

wherein the top web is sealed at its lower surface to the upper surface of the bottom web to form a seal at a location outside the periphery of the food product;

wherein the top web comprises a sealant layer comprising an ethylene/alpha olefin copolymer[[,]]; and

wherein the bottom web comprises a sealant layer comprising a blend of

- <u>i)</u> between 60% and 90%, by weight of the sealant layer, of ethylene/vinyl acetate copolymer, and
- <u>ii)</u> between 10% and 40%, by weight of the sealant layer, of polypropylene.
- 7. (original) The microwaveable package of claim 6 wherein the support member comprises a material selected from the group consisting of polypropylene, polystyrene, polyamide, 1,4- polymethylpentene, and crystallized polyethylene terephthalate.

- 8. (original) The microwaveable package of claim 6 wherein the bottom web comprises:
 - a) a sealant layer comprising a blend of:
 - between 60% and 90%, by weight of the sealant layer, of ethylene/vinyl acetate copolymer, and
 - ii) between 10% and 40%, by weight of the sealant layer, of polypropylene; and
 - b) an oxygen barrier layer comprising a polymer selected from the group consisting of ethylene/vinyl alcohol copolymer, vinylidene chloride copolymer, polyamide, polyacrylonitrile, and polyester.
- 9. (original) The microwaveable package of claim 6 wherein the top web comprises:
 - a) a sealant layer comprising an ethylene/alpha-olefin copolymer; and
 - b) an oxygen barrier layer comprising a polymer selected from the group consisting of ethylene/vinyl alcohol copolymer, vinylidene chloride copolymer, polyamide, and polyester.
- 10. (original) The microwaveable package of claim 9 wherein the ethylene/alpha-olefin copolymer comprises ethylene/ 1-octene copolymer.
- 11. to 15. (canceled)
- 16. (currently amended) A method of preparing a microwaveable <u>vacuum skin</u> package comprising:
 - a) providing a support member having an upper surface and a lower surface;
 - b) providing a bottom web having an upper surface and a lower surface;
 - c) adhering the lower surface of the bottom web to the upper surface of the support member;
 - d) placing a food product disposed on the upper surface of the bottom web; and
 - e) draping a top web over the food product, in a vacuum skin packaging process, such that the top web substantially conforms to the shape of the food product; and such that the top web is sealed at its lower surface to the upper surface of the bottom web to form a seal at a location outside the periphery of the food product;

wherein the seal has a peel strength, before microwaving, of at least 4 pounds per inch, and a peel strength, after microwaving, of less than 2.5 pounds per inch

wherein the top web comprises a sealant layer comprising an ethylene/alpha olefin copolymer; and

wherein the bottom web comprises a sealant layer comprising a blend of

- i) between 60% and 90%, by weight of the sealant layer, of ethylene/vinyl acetate copolymer, and
- ii) between 10% and 40%, by weight of the sealant layer, of polypropylene.
- 17. (original) The method of claim 16 wherein the support member comprises a material selected from the group consisting of polypropylene, polystyrene, polyamide, 1,4- polymethylpentene, and crystallized polyethylene terephthalate.
- 18. (original) The method of claim 16 wherein the bottom web comprises:
 - a) a sealant layer comprising a blend of:
 - between 60% and 90%, by weight of the sealant layer, of ethylene/vinyl acetate copolymer, and
 - ii) between 10% and 40%, by weight of the sealant layer, of polypropylene; and
 - b) an oxygen barrier layer comprising a polymer selected from the group consisting of ethylene/vinyl alcohol copolymer, vinylidene chloride copolymer, polyamide, and polyester.
- 19. (original) The method of claim 16 wherein the top web comprises:
 - a) a sealant layer comprising an ethylene/alpha-olefin copolymer; and
 - b) an oxygen barrier layer comprising a polymer selected from the group consisting of ethylene/vinyl alcohol copolymer, vinylidene chloride copolymer, polyamide, polyacrylonitrile, and polyester.
- 20. (original) The method of claim 19 wherein the ethylene/alpha-olefin copolymer comprises ethylene/ 1-octene copolymer.

- 21. (new) The package of claim 6 wherein the food product is a cooked food product.
- 22. (new) The method of claim 16 wherein the food product is a cooked food product.